


BBQ & WOK BURNER GAS/POWER POINTS

983 1205 825 671

SUGGESTED PROVISION FROM LPG CYLINDER

WOK Burner on LEFT Side of BBQ

WOK Burner on RIGHT Side of BBQ




735 735

WALL FIXED

ISLAND

LPG


Provision from LPG cylinder to Wall Fixed and Island profiles are the same.



SUGGESTED PROVISION FROM NATURAL GAS LINE

WOK Burner on LEFT Side of BBQ

WOK Burner on RIGHT Side of BBQ




WALL FIXED

ISLAND

NG

Natural Gas provision for Wall Fixed profile is from the back of the cabinet. Provision for Island profile must always be from the floor.



SUGGESTED POWER POINT POSITIONS FOR BBQ APPLIANCES

4 Burner BBQ Appliance

5 Burner BBQ Appliance



In addition to the provisioning of gas, some BBQ appliances such as the BEEFEATER 7000 Premium Series models require a power point nearby to operate features like electric ignition and lighting.



Gas Line Adapter

CONNECTING A WOK BURNER TO LPG ONLY

A gas line adapter is required for connecting a Wok Burner to LPG. A longer gas line will be required when connecting to Wok Burner on LEFT side cabinet. Cutting of holes in cabinetry to run gas lines is to be carried out by the installer on site. An electrical point is also required for ignition.

NATURAL GAS CONVERSION KITS

BS95167 / Gas Conversion Kit is for Signature 3000E with hose and injector. BS95170K / Gas Conversion Kit combines 1.5m hose with injector.


IMPORTANT!

It is a legal requirement that shut off valves for natural gas are easily accessible at all times!

All gas installation and plumbing works are to be conducted by a licensed plumber or gasfitter in accordance with AS5601.

All Electrical installation works (Wiring rules) are to be conducted by a licensed electrician and in accordance with AS3000.

TYPICAL PRODUCT WITH ALL ALLOCATED SERVICES




LEGEND


LPG	LPG (Bottle)		Plumbing
NG	Natural Gas		Water (Hot)
	Power Point (GPO)		Water (Cold)
			Water (Waste)

SINK INSTALLATION & PLUMBING


SUGGESTED PLUMBING THROUGH BACK PANEL FOR TOPMOUNT SINKS
(WALL FIXED PROFILE ONLY)



ADDING A BIN ACCESSORY
A plumbing modification will be required if adding a bin inside a 671mm cabinet.




SUGGESTED PLUMBING TO FLOOR FOR TOPMOUNT SINKS



BEVERAGE COOLER ELECTRICAL POWER POINTS


SUGGESTED POWER POINT POSITIONS



IMPORTANT!
All Electrical installation works (Wiring rules) are to be conducted by a licensed electrician and in accordance with AS3000.

RULES FOR APPLYING A WOK BURNER

WOK BURNER POSITIONS ON A TYPICAL 4 & 5 BURNER BBQ RUN



STANDARD LOCATION SPECIFICATION:
THE WOK BURNER IS ALWAYS INSTALLED ON THE LEFT OR RIGHT SIDE OF THE BBQ UNIT, 153mm AWAY FROM EDGE OF HEAT SHIELD OR BBQ APPLIANCE.


ANY OTHER INSTALLATION LOCATION ON A BBQ RUN IS CONSIDERED A CUSTOM JOB.

30CM DOMINO GAS WOK COOKTOP EMJG30WSX Stainless Steel




WOK BURNER POSITIONS ON A 6 BURNER BBQ RUN


Wok Burner positions are 153mm from edge of BBQ appliance when installed on the left or right sides.




PERMITTED INSTALLATION TYPES



671 Door Unit
Wok Burner is centred to cabinet.



983 Door Unit
Wok Burner position when BBQ is to left.



983 Door Unit
Wok Burner position when BBQ is to right.

INSTALLATION TYPES NOT PERMITTED



671 Drawer Unit
Wok Burner is NOT installed



983 Drawer Unit
Wok Burner is NOT installed



983 Door Unit
Wok Burner is NOT installed in centre